

MEMORANDUM

ISO: 60509448 (BE193) File Code: 422.2.4.1 Doc ID #: 00763.46

72 -DYLHU 5RGULJXH] 3 (760 2 3URJUDP (QJLQHHU
)520 -RVH \$ *UXOORQ 3 (
68%-(&7 ([SUHV V 3KDVH 6HJPHQWV 1 DQG 6 7XEXODU
3HUIRUPDQFH 8SGDWH 7KURXJK 2FWREHU
'\$7('HFHPEHU
&& \$OHMDQGUR 0RWW 3 ('RQ \$YHU\ 3 (\$OH[0L

, 385326(
7KH SXUSRVH RI WKL V PPHRUDQGXP LV WR SURYLGH D VV
GRFXPHQW 06 PROUDWKP ± ([SUHV V 3KDVH ([SUHV V /DQ
3HUIRUPDQFH WKDW ([SUHV V /DQH 0DUNHUV LV KRZ 7XEXO

,, %\$&.*5281'

7KH QHZ 70 LQVWDOODWLRQ RFFXUUHG EHWZHHQ 6HSWH
DSSUR[LPDWHO\ Wkuhh PRQWKV 7KH LQVWDOODWLRQ HQ
1 DQG 6 IURP MXVW QRUWK RI 65 WR WKH *ROGHQ
7XUQSLNH 7KH FRPSDULVRQV VKRZQ KHUHLQ DUH EDVHG
PRQWKV SULRU WR LQVWDOODWLRQ IURP 0DUFK DQG
WKH LQVWDOODWLRQ WKURXJK -XQH *LYHQ WKH LPSR
GHFLGHG WR FRQLQXH GRFXPHQLQJ WKH WUHGGV VKRZQ

This monthly update is for all available data through October 2020.

,,, 3(5)250\$1&(&5,7(5,\$

7KH IRXU SHUIRUPDQFH PHWULFV WKDW DUH EHLQJ WUDFNH
7XEXODU 0DUNHUV 5HSODFHPHQW
/DQH 'LYLQJ :DUQLQJV SOXV &LWDWLRQV
&UDVKHV LQ WKH ([SUHV V /DQHV
9HKLFOH 7KURXJKSXW

'DWD SURYLGHG E\ '%, 'LVWULFW V \$VVHW 0DLQWHQDQFH &RQWUDFW
'DWD SURYLGHG E\)+3 7KRXJK ,QYRLFQJ IRU ')+3 +LUHEDFN 3URJUD
'DWD SURYLGHG E\ 7UDQVSRUW WLRQ 0DQDJHPHQW ZDWHU YLD 6XQ*X
'DWD SURYLGHG E\)ORULGD V 7XUQSLNH YLD 0RQWKO\ 7ROO *DQWU\ 5

0HPR ± ([SUHV 3KDVH 70 3HUIRUPDQFH 8SGDWH
'HF

,9 5(68/76

Performance Metric	Monthly Avg. for Six Months Before New ELM Installation	Monthly Avg. During New ELM Installation	Monthly Avg. After New ELM Installation ⁵
ELM Replacement ¹	4,030	21	467
Lane Diving (Citations + Warnings) ²	152	82	8
Crashes in Express Lanes ³	81	60	50
Vehicle Throughput ⁴	1,874,077	1,816,973	1,706,285

'LVFODLPHUV

Data for TM replacements for September and October 2017 are not included due to the impact of Hurricane Irma. Also, data for all other performance metrics are not included for September 2017 due to Hurricane Irma. - Vehicle throughput has decreased starting April 2020 due to COVID-19.

7KURXJK 2FWREHU WKH QHZ 7XEXODU 0DUNHUV LQVW
DYHUDJH PRQWKO\ LPSURYHHPHQWV IRU ([SUHV 3KDVH



- * 7XEXODU 0DUNHUV 5HSODFHPHQW LV GRZQ
- * /DQH 'LYLQJ LV GRZQ
- * &UDVKHV ZLWKLQ WKH IDFLOLW\ DUH GRZQ

* UDSKV VKRZLQJ WKH SRVLWLYH WUHQGV IRU ODQH GLYLQJ
WKH IROORZLQJ SDJH

(QG RI 0HPRUDQGXP

'DWD SURYLGHG E\ '%, 'LVWULFW V \$VVHW 0DLQWHQDQFH &RQWUDFW
'DWD SURYLGHG E\)+3 7KRXJK %L ZHHNO\ ,QYRLFQJ IRU ')+3 +LUHE
'DWD SURYLGHG E\ 7UDQVSRUW WLRQ 0DQDJHPHQW ZDWHU YLD 6XQ *X
'DWD SURYLGHG E\)ORULGD V 7XUQSLNH YLD 0RQWKO\ 7ROO *DQWU\ 5
0RQWKO\ DYHUDJH IURP 'HFHPEHU WKURXJK 2FWREHU
)LYH (PHUJHQF\ 6WRSSLQJ 6LWHV (6 ZHUH RSHQG RQ ([SUHV 3KDVH
IRRW VKRXOGHUV JLYLQJ PRWRULVWV DQG ODZ HQIRUFHPHQW PRUH UH
HQIRUFHPHQW DFWLYLWLHV

0HPR ± ([SUHV 3KDVH 70 3HUIRUPDQFH 8SGDWH 'HF



'LVFODLPHUV
 Data for September 2017 are not included due to the impact of Hurricane Irma.
 Five Emergency Stopping Sites (ESS) were opened on 95 Express Phase 1 on May 11, 2018. The ESS consist of 13-foot shoulders, giving motorists and law enforcement more room to pull off the express lanes for emergency stops and enforcement activities.